



Product Advisory FH 2023-01

First Release:

June 6, 2023

Prepared by:

FORTIFIED Technical Team

Applicable Standards:

FORTIFIED Home™—Hurricane

FORTIFIED Home™—High Wind

Applicable Designation Level:



Eligibility of Existing Fiberglass Resin Deck Coatings as Roof Covers in FORTIFIED Home™

Introduction

In some regions, portions of a roof, typically those used as walking surfaces or decks, may have a fiberglass resin roof cover installed. Where a fiberglass resin cover is used as a roof cover, verification of compliance with the [2025 FORTIFIED Home Standard](#) is challenging due to lack of available testing.

Eligibility

- **The fiberglass covered roof deck IS NOT over living space and/or tied into the main roof cover.**

The fiberglass covered area does not need to meet FORTIFIED requirements to qualify for a FORTIFIED designation described in section 2.6 of the [2025 FORTIFIED Home Standard](#).

- **The fiberglass covered roof deck IS over living space and/or tied into the main roof cover.**

The fiberglass cover must be removed and replaced with a compliant low slope roof cover to qualify for a FORTIFIED designation (refer to section 2.10.1 of the [2025 FORTIFIED Home Standard](#)). The FORTIFIED requirements for low-slope roof covers are specified in section 4.8 of the [2025 FORTIFIED Home Standard](#).

Additional References

For additional guidance, refer to the following:

- [2025 FORTIFIED Home Standard](#)
- [Documentation Requirements Evaluator Checklist](#)
- [FORTIFIED Legal Disclaimer](#)

